### CORRECTED VERSION

### (19) World Intellectual Property Organization

International Bureau



## 

WO 2003/106991 A1

(43) International Publication Date 24 December 2003 (24.12.2003)

**PCT** 

# (10) International Publication Number

(51) International Patent Classification7: G01N 27/447

(21) International Application Number:

PCT/NL2003/000431

(22) International Filing Date: 13 June 2003 (13.06.2003)

(25) Filing Language:

English

(26) Publication Language:

English

(30) Priority Data: 02077324.8

13 June 2002 (13.06.2002) EP

(71) Applicant (for all designated States except US): STICHT-ING VOOR DE TECHNISCHE WETENSCHAPPEN [NL/NL]; VanVollenhovenlaan 661, NL-3527 JP Utrecht (NL).

(72) Inventors; and


(75) Inventors/Applicants (for US only): BASTEMEIJER,

Jeroen [NL/NL]; Koningin Wilhelminalaan 20, NL-3201 CJ Spijkenisse (NL). LAUGERE, Frederic, Pierre, Jacques [NL/NL]; Wijde Doelen 6, NL-3512 XN Utrecht (NL). BOSSCHE, Adrianus [NL/NL]; Desertosingel 81, NL-2909 PA Capelle A/D Ijssel (NL).

- (74) Agents: VAN WESTENBRUGGE, Andries et al.; Nederlandsch Octrooibureau, Scheveningseweg 82, P.O. Box 29720, NL-2502 LS The Hague (NL).
- (81) Designated States (national): AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NI, NO, NZ, OM, PH, PL, PT, RO, RU, SC, SD, SE, SG, SK, SL, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VC, VN, YU, ZA, ZM, ZW.
- (84) Designated States (regional): ARIPO patent (GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZM, ZW), Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM),

[Continued on next page]

(54) Title: ELECTROPHORETIC SYSTEM WITH PROTECTION FOR ITS DETECTORS



(57) Abstract: Electrophoretic system having a separation system and a detection system, where the separation system has a channel (1) and a first separation electrode (2) located at a first end of the channel (1) and a second separation electrode (3) located at the second end of the channel (1), where the separation system is arranged in such a way that a potential difference can be applied between the first and second separation electrode (2, 3), where the detection system, in use, is positioned close to the channel (1) or inside the channel (1), the system having means to reduce a voltage difference between the separation system and the detection system in order to prevent electrical breakthrough between the separation system and the detection system.



PCT/NL 03/00431

A. CLASSI IPC 7	fication of subject matter G01N27/447							
According to International Patent Classification (IPC) or to both national classification and IPC								
	SEARCHED	· · · · · · · · · · · · · · · · · · ·	···					
IPC 7	cumentation searched (classification system followed by classification G01N	ion symbols)						
Decument			<del></del>					
Documentation searched other than minimum documentation to the extent that such documents are included. In the fields searched								
Electronic d	ata base consulted during the International search (name of data be	ase and, where practical, search terms used	).					
EPO-Internal, WPI Data, PAJ								
C. DOCUM	ENTS CONSIDERED TO BE RELEVANT	· · · · · · · · · · · · · · · · · · ·						
Category *	Citation of document, with indication, where appropriate, of the re	levant passages	Relevant to claim No.					
Х	GB 1 196 887 A (US3649499 PEKKA I RAUNO ERKKI VIRTANEN)	KIVALO;	1 ,					
	1 July 1970 (1970-07-01) page 2, left-hand column, line 101 -page 3, right-hand column, line 11; figure 4							
X	EP 0 475 713 A (UNIV LELAND STAN) JUNIOR) 18 March 1992 (1992-03-18 figures 4,5		1,2					
	<del></del>	-/						
		·						
	•							
			· · · · · · · · · · · · · · · · · · ·					
X Furth	er documents are listed in the continuation of box C.	Patent family members are listed to	n annex.					
° Special cat	egories of cited documents :	"T" later document published after the Inter	national filing date					
"A" document defining the general state of the art which is not considered to be of particular relevance "T" later document published after the international filing date or priority data and not in conflict with the application but cited to understand the principle or theory underlying the								
"E" earlier document but published on or after the international filing date "X" document of particular relevance; the claimed invention cannot be considered novel or cannot be considered to								
*L* document which may throw doubts on priority claim(s) or which is cited to establish the publication date of another citation or other special reason (as specified)  *Y* document of particular relevance; the claimed invention considered to impressive staken alone  *Y* document of particular relevance; the claimed invention cannot be considered to impressive staken alone								
*O* document referring to an oral disclosure, use, exhibition or other means document is combined with one or more other such document is combined with one or more other such document is combined with one or more other such document is combined with one or more other such document is combined with one or more other such document is combined with one or more other such document.								
"P" documer later that	nt published prior to the International filing date but an the priority date claimed	in the art.  ** document member of the same patent is	amily .					
Date of the a	ctual completion of the International search	Date of mailing of the International sea	rch report					
26 August 2003		10/09/2003						
Name and mailing address of the ISA		Authorized officer						
European Patent Office, P.B. 5818 Patentlaan 2 NL – 2280 HV Rijswijk Tel. (+31–70) 340–2040, Tx. 31 651 epo nl, Fax (+31–70) 340–3016		Müller, T						

Form PCT/ISA/210 (second sheet) (July 1992)

page 1 of 2



PCT/NL 03/00431

Category *	ation) DOCUMENTS CONSIDERED TO BE RELEVANT  Citation of document, with indication, where appropriate, of the relevant passages	Relevant to daim No.
		melevani io gaini No.
A ·	BASTEMEIJER J ET AL: "Electronic protection methods for conductivity detectors in micro capillary electrophoresis devices"  SENSORS AND ACTUATORS B, ELSEVIER SEQUOIA S.A., LAUSANNE, CH, vol. 83, no. 1-3, 15 March 2002 (2002-03-15), pages 98-103, XP004344491  ISSN: 0925-4005 cited in the application figure 3	1-9
А	US 5 322 607 A (BAER RICHARD L ET AL) 21 June 1994 (1994-06-21) cited in the application the whole document	1–9
A	PARK S ET AL: "VOLTAMMETRIC DETECTION FOR CAPILLARY ELECTROPHORESIS" ANALYTICAL CHEMISTRY, AMERICAN CHEMICAL SOCIETY. COLUMBUS, US, vol. 69, no. 15, 1 August 1997 (1997-08-01), pages 2994-3001, XP000699463 ISSN: 0003-2700 page 2995; figure 1	1-9

#### INTERNATIONAL SEARCH REPORT

PCT/NL 03/00431

Patent document cited in search report		'Publication date		Patent family member(s)	Publication date
GB 1196887	A	01-07-1970	FI DE SE US	41214 B 1915170 A1 347112 B 3649499 A	02-06-1969 27-08-1970 24-07-1972 14-03-1972
EP 0475713	A	18-03-1992	US CA DE DE EP JP US	5126023 A 2051006 A1 69117622 D1 69117622 T2 0475713 A1 4244955 A 5298139 A	30-06-1992 11-03-1992 11-04-1996 29-08-1996 18-03-1992 01-09-1992 29-03-1994
US 5322607	Α ·	21-06-1994	JP	6160352 A	07-06-1994